## Declaration of performance



## RZ1-K (AS) 0,6/1 kV CPR

Declaration: **020-01** Unique identification code of the product-type: **RCT89** 

## **Traceability**

Production order or lot number as shown in the product documentation

#### Intended use

Energy supply in buildings and other civil engineering works with the objective of limiting the generation and spread of fire and smoke

#### Manufacturer data

Cables RCT SAU. Ctra. Castellón Km 226.900 – 50720 – Zaragoza (Spain)

## System or systems of assessment and verification of constancy of performance

System 1+

#### Harmonized standard

EN 50575:2014+A1:2016

### **Notified bodies**

AENOR Notified body No. 0099

## **Declaration of performance**

Features	Performance	Harmonized technical specifications
Fire reaction	C <sub>ca</sub> - s1b, d1, a1	EN 50575:2014+A1:2016
Dangerous substances	NPD	

**Product range** Multiconductor cables without armour: from 2x1,5 to  $2x16 \text{ mm}^2$ ; from 3x1,5 to  $3x35 \text{ mm}^2$ ; from 4x1,5 to

 $4x50 \text{ mm}^2$ ;  $4x95 \text{ mm}^2$ ; from 5x1,5 to  $5x120 \text{ mm}^2$ .

This declaration of performance is issued under the responsibility of the identified manufacturer





# Declaration of performance



RZ1-K (AS) 0,6/1 kV CPR

Declaration: **014-01** Unique identification code of the product-type: **RCT89** 

## **Traceability**

Production order or lot number as shown in the product documentation

#### Intended use

Energy supply in buildings and other civil engineering works with the objective of limiting the generation and spread of fire and smoke

#### Manufacturer data

Cables RCT SAU. Ctra. Castellón Km 226.900 – 50720 – Zaragoza (Spain)

## System or systems of assessment and verification of constancy of performance

System 1+

#### Harmonized standard

EN 50575:2014+A1:2016

### **Notified bodies**

AENOR Notified body No. 0099

## **Declaration of performance**

Features	Performance	Harmonized technical specifications
Fire reaction	C <sub>ca</sub> - s1b, d1, a1	EN 50575:2014+A1:2016
Dangerous substances	NPD	

Product range Single conductor without armour: 1,5, 4, 6, 10, 16, 25,

35, 50, 70, 95, 120, 150, 185, 240 and 300 mm<sup>2</sup>.

This declaration of performance is issued under the responsibility of the identified manufacturer





# Declaration of performance



RZ1-K (AS) 0,6/1 kV CPR

Declaration: **046-01** Unique identification code of the product-type: **RCT89** 

## **Traceability**

Production order or lot number as shown in the product documentation

#### Intended use

Energy supply in buildings and other civil engineering works with the objective of limiting the generation and spread of fire and smoke

#### Manufacturer data

Cables RCT SAU. Ctra. Castellón Km 226.900 – 50720 – Zaragoza (Spain)

## System or systems of assessment and verification of constancy of performance

System 3

#### Harmonized standard

EN 50575:2014+A1:2016

### **Notified bodies**

CEIS Notified Laboratory No 1722

## **Declaration of performance**

Features	Performance	Harmonized technical specifications
Fire reaction	$E_{ca}$	EN 50575:2014+A1:2016
Dangerous substances	NPD	

**Product range** 6x1,5-4 mm<sup>2</sup>;7x1,5-10 mm<sup>2</sup>;8x1,5-2,5 mm<sup>2</sup>

;10x1,5-2,5 mm<sup>2</sup>;12x1,5-2,5 mm<sup>2</sup>;14x1,5-6 mm<sup>2</sup> ;16x1,5-2,5 mm<sup>2</sup>;18x4 mm<sup>2</sup>;19x1,5-2,5 mm<sup>2</sup> ;24x1,5-2,5 mm<sup>2</sup>;30x1,5 mm<sup>2</sup>;32x1,5 mm<sup>2</sup>

This declaration of performance is issued under the responsibility of the identified manufacturer



